

Applicant: Artig, et al.

Serial No.: 09/694,568

Att'y Docket No.: 14374.34

Filing Date: October 23, 2000

For: X-RAY TUBE AND METHOD OF MANUFACTURE

INFORMATION DISCLOSURE CITATIONS MADE BY APPLICANTU.S. Patent Documents

Examiner Initial*	Patent Number	Issue Date	Name	Class	Sub Class	Filing Date
<u>DAD</u>	A1 6,215,852	04/10/01	Rogers et al.	378	142	12/10/98
<u>DAD</u>	A2 6,134,299	10/17/00	Artig	378	121	08/21/98
<u>DAD</u>	A3 5,802,140	09/01/98	Virshup et al.	378	136	08/29/97
<u>DAD</u>	A4 5,056,126	10/08/91	Klostermann et al.	378	127	11/30/87
<u>DAD</u>	A5 4,768,365	09/06/88	Spencer et al.	72	202	11/23/87
<u>DAD</u>	A6 4,744,944	05/17/88	Spencer et al.	419	23	08/05/97
<u>DAD</u>	A7. 4,468,802	08/28/84	Friedel	378	125	02/10/82
<u>DAD</u>	A8. 4,884,292	11/28/89	Klostermann, et al.	378	203	06/27/86
<u>DAD</u>	A9. 4,964,148	10/16/90	Klostermann, et al.	378	121	11/21/88
<u>DAD</u>	A10. 6,062,731	05/16/20	Guzik	378	203	08/25/98
<u>DAD</u>	A11. 6,252,933	06/26/01	Artig	378	121	07/05/00
<u>DAD</u>	A12. 5,553,114	09/03/96	Siemers, et al.	378	129	04/04/94
<u>DAD</u>	A13. 4,943,989	07/24/90	Lounsberry, et al.	378	130	08/02/88
<u>DAD</u>	A14. 3,993,923	11/23/76	Magendans, et al	313	330	09/09/74
<u>DAD</u>	A15. 6,144,720	11/07/00	DeCou, et al	378	131	08/28/98
<u>DAD</u>	A16. 5,461,659	10/24/95	Siemers, et al.	378	129	03/18/94

Examiner:

Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED
MAR - 14 2002
IC 2800 MAIL ROOM

Applicant: Artig, et al.

Serial No.: 09/694,568

Att'y Docket No.: 14374.34

Filing Date: October 23, 2000

For: X-RAY TUBE AND METHOD OF MANUFACTURE



<u>JD</u> A17.	4,516,255	05/07/85	Petter, et al.	378	129	03/18/94
<u>JD</u> A18.	5,157,705	10/20/92	Hohenauer	378	143	10/02/90
<u>JD</u> A19.	5,837,361	11/17/98	Glaser, et al.	428	216	11/12/96
<u>JD</u> A20.	5,520,996	05/28/96	Balian, et al.			04/18/94

Foreign Patent Documents

Examiner Initial*	Document Number	Publ. Date	Country or Patent Office	Class	Sub Class	Trans- lation
NONE						

Other Documents

(including author (if listed), title, relevant pages, date of publication including at least month and year).

Examiner
Initial*

NONE

RECEIVED
MAR - 4 2002
TC 2800 MAIL ROOM

References Cited by Applicants

While the filing of Information Disclosure Statements is voluntary, the procedure is governed by the guidelines of Section 609 of the Manual of Patent Examining Procedure and 37 C.F.R. §§ 1.97 and 1.98. To be considered a proper Information Disclosure Statement, Form PTO-1449 shall be accompanied by a copy of each listed patent or publication or other item of information and a translation of the pertinent portions of foreign documents (if an existing translation is readily available to the applicant), an explanation of relevance of each reference not in the English language, and should be submitted in a timely manner as set out in MPEP Sec. 609.

Examiners will consider all citations submitted in conformance with 37 C.F.R. § 1.98 and MPEP Sec. 609 and place their initials adjacent the citations in the spaces provided on this form.

Examiner:

Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449

Sheet 3 of 3

Applicant: Artig, et al.

Serial No.: 09/694,568

Att'y Docket No.: 14374.34

Filing Date: October 23, 2000

For: X-RAY TUBE AND METHOD OF MANUFACTURE

Examiners will also initial citations not in conformance with the guidelines which may have been considered. A reference may be considered by the Examiner for any reason whether or not the citation is in full conformance with the guidelines. A line will be drawn through a citation if it is not in conformance with the guidelines AND has not been considered. A copy of the submitted form, as reviewed by the Examiner, will be returned to the applicant with the next communication. The original of the form will be entered into the application file.

Each citation initialed by the Examiner will be printed on the issued patent in the same manner as references cited by the Examiner on Form PTO-892.

The reference designations "A1," "A2," etc. (referring to Applicant's reference 1, Applicant's reference 2, etc.) will be used by the Examiner in the same manner as Examiner's reference designations "A," "B," "C," etc. on Office Action Form PTO-1142.

G:\DATA\wpdocs2\dh\em_rg clnts\Varian\Other docs\0204 1449_34.doc

RECEIVED
MAR - 4 2001
TC 2800 MAIL ROOM

Examiner:

Date Considered:

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.